

Skylight roof hatches

Standard


- ✓ Roof hatch with a robust construction made of an extruded aluminium frame
- ✓ Outer frame powder coated in RAL 9016 white
- ✓ Design with thermal separation and robust sealing
- ✓ Wall thickness of 40-80mm
- ✓ 1 handle operation with 4 point locking mechanism and ventilation position
- ✓ Tempered glass with ECE 43R road approval double grey tinted
- ✓ Insulation value of the standard glass panes 2.9 W/m²/K standard grey tinted
- ✓ Suitable for use at elevations of up to 6000 m above sea level
- ✓ Stainless steel gas springs with 2 stops

Options

- ✓ Double roller blinds 100% darkening and fly protection deliverable with brush seal and magnetic closure
- ✓ Extra fine mesh material against black fly
- ✓ Spoiler
- ✓ Antivandalism cover plates



Photo impression



Limited installation height



70° opening angle



Interior view



Multiple roller blind options




Polished stainless steel handle




Ventilation stand

Installation possibilities for roof hatches with various wall thicknesses


Installation roof hatch with roller blind in wall <60mm



Installation roof hatch with roller blind in wall =60mm



Installation roof hatch with roller blind in wall >60mm



Roof hatch dimensions

DESIGNATION & DESCRIPTION	OUTER DIMENSION		CUTOUT DIMENSION		CLEAR MEASUREMENT		OUTER HEIGHT	WEIGHT WITHOUT ROLLER BLIND	WEIGHT ROLLER BLIND
	A	B	C	D	E	F			
DL5050-DG* Hard glass roof hatch 50x50cm with 4 point locking and insulation plate Outside glass double grey tinted	570	575	500	500	325	318	38	12	2,0
DL7050-DG Hard glass roof hatch 70x50cm with 4 point locking and insulation plate Outside glass double grey tinted	770	575	700	500	515	330	38	15,2	2,5
DL7070-DG Hard glass roof hatch 70x70cm with 4 point locking and insulation plate Outside glass double grey tinted	770	775	700	700	515	508	38	19,5	3,0
DL9665-DG Hard glass roof hatch 96x65cm with 4 point locking and insulation plate Outside glass double grey tinted	1030	730	960	655	785	480	38	22,0	5,0

Roof hatch dimensions

